PRINTED: 10/13/2017 FORM APPROVED

Hawaii Dept. of Health, Office of Hearth Care Assurance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION **IDENTIFICATION NUMBER:** COMPLETED A. BUILDING: ___ B. WING 125063 10/06/2017 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 15 CRAIGSIDE PLACE 15 CRAIGSIDE HONOLULU, HI 96817 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X5) COMPLETE (X4) ID (EACH DEFICIENCY MUST BE PRECEDED BY FULL PRÉFIX **PREFIX** (EACH CORRECTIVE ACTION SHOULD BE TAG REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE DATE TAG DEFICIENCY) 4 000 11-94.1 Initial Comments 4 000 A State relicensing survey was completed at 15 Craigside from October 2, 2017 to October 6, 2017. At the time of entrance the facility resident census was 39. This survey found that your facility was in substantial compliance with the participation requirements.

Office of Health Care Assurance

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

If continuation sheet 1 of 1